

GraphLine Inc.[®]

1100 International Pkwy.
Suite 100 Sunrise FL 33323
800-998-3200

MATERIAL SAFETY DATA SHEET

IN CASE OF TRANSPORTATION EMERGENCY (Spill, Leak, Fire, Exposure, Accident)
Call CHEMTREC 1-800-424-9300 (24 Hour)

SECTION 1: IDENTIFICATION

Name: GRAPHLINE STATICLEAN

Revision 1/21/2002

Product Number 6024021005

Size 8 oz.

Formula: Aqueous Mixture

SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

<u>C.A.S. #</u>	<u>INGREDIENTS</u>	<u>%</u>
7732-18-5	WATER	> 99
N/A Ref.#002	NON-HAZARDOUS MIX OF SILICONE COMPOUNDS AND PROPIET	> 1

<u>EXPOSURE LIMITS</u>	<u>OSHA</u>		<u>ACGIH</u>		<u>CANADA</u>	
	<u>TWA</u>	<u>STEL</u>	<u>TWA</u>	<u>STEL</u>	<u>TWA</u>	<u>STEL</u>
WATER	None	None	None	None	None	None
NON-HAZARDOUS MIX OF SILICONE COMPOUN	None	None	None	None	None	None

Source of Exposure Limit Data:

OSHA: Occupational Safety and Health Administration

ACGIH: American Conference of Governmental Industrial Hygienists

CANADA: Province of Alberta's Occupational and Health and Safety Act.

ADDITIONAL EXPOSURE INFORMATION

<u>CAS. NUMBER</u>	<u>SKIN DESIGNATION *</u>			<u>CARCINOGENS</u>			<u>PRIMARY HAZARD</u>	<u>IDLH (ppm)</u>
	<u>OSHA</u>	<u>ACGIH</u>	<u>CANADA</u>	<u>IARC</u>	<u>NTP</u>	<u>OSHA</u>		
7732-18-5	No	No	No	No	No	No	Not classified	None
N/A Ref.#002	No	No	No	No	No	No	Not classified	None

* For substances designated as a 'Skin' hazard, protective measures are recommended to prevent or reduce skin absorption. These measures may include the use of gloves, aprons, goggles or other equipment, as well as engineering controls or work practices.

SECTION 3: HAZARDS IDENTIFICATION

EYES CONTACT:

May cause irritation.

SKIN CONTACT:

May cause irritation.

INHALATION:

Inhalation of fine mist may cause pulmonary irritation.

INGESTION:

Ingestion of liquid may cause gastrointestinal distress

H.M.I.S. CODES: HEALTH: 1 FIRE: 0 REACTIVITY: 0 PROTECTION: D

SECTION 4: FIRST AID MEASURES

EYE CONTACT:

Immediately flush with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Contact physician immediately.(preferably an ophthalmologist)

SKIN CONTACT:

Rinse with copious amounts of water and/or wash with soap and water for at least 15 minutes. If irritation occurs, contact physician.

INHALATION:

Remove victims to fresh air, if not breathing, have certified person administer CPR. Contact physician immediately.

INGESTION:

Administer 2-4 glasses water. Contact physician or poison control center immediately.

SECTION 5: FIRE FIGHTING MEASURES

Flash point (F) : None **FLAMMABILITY LEL- N/A UEL- N/A**

Extinguishing media: Water, foam, carbon dioxide, dry chemical.

Special fire fighting procedures :

Self contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.

Unusual fire and explosion hazards :

NONE

NATIONAL FIRE PROTECTION ASSOC. CODES

HEALTH: 1 FIRE: 0 REACTIVITY: 0 SPECIAL: NONE

SECTION 6: ACCIDENTAL RELEASE MEASURES**SPILL RESPONSE:**

Dike spill and soak up with sand or a commercially available spill kit, sweep up absorbant. Wash area with a suitable cleaner and rinse.

SECTION 7: HANDLING AND STORAGE

Store in well ventilated area at temperatures above 32 F. and below 120 F. Do not store near food or tobacco products. Wash hands before eating or smoking after handling product.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Use organic vapor respirator if exposed to high levels of mist. LOCAL EXHAUST: Not recommended - - MECHANICAL EXHAUST: Recommended - - PROTECTIVE GLOVES: Latex , rubber or neoprene waterproof gloves. EYE PROTECTION: Chemical safety goggles/splash shield. OTHER PROTECTIVE EQUIPMENT: Rubber or plastic apron.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling point (C) : 100

Melting point: N/A

Percent volatile by volume : >90

Evaporation rate: 1.0 (N-Butyl Acetate=1)

Specific gravity (water = 1) : 1

Appearance : Opaque milky white liquid.

Volatile Organic Compounds: N/A

Vapor pressure: N/D

Vapor density: N/A

Solubility in water: COMPLETE

pH: 6.5-7.0

Odor: Odorless

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable

Hazardous polymerization: Will not occur

Incompatibility (materials to avoid): Strong oxidizers

Hazardous decomposition products: Carbon monoxide, carbon dioxide, silicon oxides.

SECTION 11: DISPOSAL CONSIDERATIONS

Dike spill and soak up with sand or a commercially available acid spill kit, sweep up absorbant

SECTION 12: TRANSPORTATION INFORMATION

SHIPPING NAME: NOT REGULATED MATERIAL

UN ID-#: N/A

PACKING GROUP: N/A

MAJOR CLASS: N/A

PRIMARY LABEL: N/A

MINOR CLASS: N/A

SECONDARY LABEL: N/A

REMARKS:

* Reference: CFR 49, Table 172.102 (highway)

SECTION 13: REGULATORY INFORMATION

<u>CAS. NUMBER</u>	<u>CERCLA</u>	<u>SARA-EHS</u>	<u>SARA-313</u>	<u>RCRA</u>	<u>CAL-PROP 65</u>	<u>N.J.</u>	<u>FLA.</u>
7732-18-5	No	No	No	No	No	No	No
N/A Ref.#002	No	No	No	No	No	No	No

* Specific CAS Number references from these regulatory tables:

CERCLA: 40 CFR. Table 302.4

CAL-PROP 65: California Proposition 65, Developmental and Reproductiv

SARA-EHS: 40 CFR. 355 Appendices A B

New Jersey Right to Know

SARA-313: 40 CFR. section 372.65

Florida Right to Know

RCRA: 40 CFR. section 261.3

SECTION 14: OTHER INFORMATION

Comments: None

The data in this Material Safety Data form relates to the specific material designated herein and to the standard use of same in combination with other materials or processes. The hazards covered are believed to be those most likely to occur in the reasonable, contemplated, or ordinary use of these chemicals. No warranty is made or implied in respect of other hazards which may occur as a result of unreasonable, abnormal, or unusual usage, or non-standard application of these materials. The information accumulated herein is believed to be accurate, but GraphLine Inc. expressly denies any warranty to such effect. Customers or recipients are advised to confirm, in advance that the information is current, applicable and suitable to their circumstances. This information is furnished as a service only.